

Reference Number : 239
Revision Date : 11/12/2003
Revision Number : 1
Material / Trade Name : FOODSAFE LUBRICANT (AEROSOL)

1 - Substance Identification

(Synonym :)

Material / Trade Name : FOODSAFE LUBRICANT (AEROSOL)
Material Type : LUBRICANT
Company : The Paramount Group
Address : Lydney Industrial Estate,
Harbour Rd, Lydney
Gloucestershire, UK
GL15 4EJ
Telephone : 01594 842688
Fax : 01594 842989
Emergency Telephone : 01594 842688

2 - Composition

| Substance | % Wt. | Cas Number | Eec Number |
|---|-------|------------|------------|
| A Blend of refined oils, carriers and silicon thickeners. Does not contain substances classified as hazardous to health under the CHIP regulations 1996 | | | |

3 - Hazard Identification

a) Hazard Symbols:

b) Risk & Safety:

Not Classified As Hazardous Under The Chip Regulations 1998
S23 Do Not Breathe Vapour
S24 Avoid Contact With Skin

4 - First-aid Measures

a) Inhalation:

Remove From Source Of Exposure
Remove To Fresh Air And Rest
If Recovery Is Not Rapid Obtain Prompt Medical Attention

b) Eyes:

Immediately Flood With Copious Amounts Of Water, Holding The Eye Open If
Take Care Not To Wash Chemical From One Eye To The Other
If Irritation Persists Then Consult A Doctor

c) Skin:

Remove Clothing And Wash Contaminated Area With Plenty Of Water
If Irritation Persists, Obtain Medical Attention

d) Ingestion:

Wash Out Mouth With Water
Do Not Induce Vomiting
Seek Medical Advice Immediately

Reference Number : 239
Revision Date : 11/12/2003
Revision Number : 1
Material / Trade Name : FOODSAFE LUBRICANT (AEROSOL)

5 - Fire-fighting Measures**a) Suitable Extinguishers:**

Water Fog
Foam - Cream

b) Unsuitable Extinguishers:

Do Not Use Water Jets

c) Hazardous Decomposition:

May Create Oxides Of Carbon
Aerosol Containers May Explode When Exposed To High Temperatures

d) Special Procedures:

Keep Aerosol Cans Cool With Water Spray
Do Not Breathe Decomposition Products And Fumes
Use Approved Self-Contained Breathing Apparatus

6 - Accidental Release Measures**a) Exposure Controls:**

Do Not Allow Spill To Enter Drains And Watercourses

b) Personal Protection:

Wear Appropriate Protective Clothing - See Section 8
Risk Of Slipping - Forms Slippery Surfaces With Water
Avoid Contact With Skin And Eyes

c) Disposal Considerations:

Absorb In Inert Material Such As Sand Or Absorbent Granules
Do Not Allow Spill To Enter Drains/Sewers/Water Courses
Dispose Of In Accordance With Local Authority Regulations

7 - Handling And Storage**a) Handling:**

Avoid Sources Of Ignition
Avoid Skin Contact
Avoid Eye Contact
Caution: Pressurised Container Do Not Puncture Even When Empty
Caution: Pressurised Container Do Not Expose To Temperatures Above 50°C
Pressurised Container - Protect From Sunlight
Always Handle Aerosols With Care


b) Storage:

Store In Cool, Dry, Well Ventilated Area
Store Away From Oxidising Materials
Store Away From Heat, Flames & Direct Sunlight
Maximum Storage Temperature 50°C

Reference Number : 239
 Revision Date : 11/12/2003
 Revision Number : 1
 Material / Trade Name : FOODSAFE LUBRICANT (AEROSOL)

8 - Exposure Controls


Occupational Exposure Limit : 5mg/m3 8 hour TWA value
 Biological Exposure Limit :



If Eye Contamination Likely



Recommended If Skin Contamination Likely



Wear PVC Or Other Suitable Impervious Overalls

9 - Physical & Chemical Properties

| | | |
|-----------------------|--|----|
| Appearance | WATER WHITE LIQUID | |
| Odour | ODOURLESS | NO |
| Ph | NOT APPLICABLE | |
| Boiling Point/range | > 350 °C | |
| Melting Point/range | NOT APPLICABLE | |
| Flash Point | 140 °C | |
| Flammability | NOT APPLICABLE | |
| Autoflammability | NOT APPLICABLE | |
| Explosive Properties | NOT APPLICABLE | |
| Oxidising Properties | NOT APPLICABLE | |
| Vapour Pressure | 88 mm Hg | |
| Relative Density | 0.92 @ 20 °C | |
| Solubility | VERY LOW IN WATER, SOLUBLE IN HYDROCARBONS | |
| Partition Coefficient | NOT DETERMINED | |
| Miscibility | NOT DETERMINED | |
| Vapour Density | NOT APPLICABLE | |
| Evaporation Rate | | |
| Viscosity | NOT APPLICABLE | |

10 - Stability And Reactivity

Materials To Avoid: Strong Oxidising Agents
 Conditions To Avoid: Extremes Of Temperature

11 - Toxicological Information

Routes Of Exposure: Inhalation, Skin And Eye Absorption, Ingestion
 Health Effects: Irritating To Eyes
 Health Effects: Irritating To Skin

Reference Number : 239
Revision Date : 11/12/2003
Revision Number : 1
Material / Trade Name : FOODSAFE LUBRICANT (AEROSOL)

12 - Ecological Information

Ecotoxicity: No Specific Data Available

13 - Disposal Considerations

Dispose Of In Accordance With Local Authority Regulations
Do Not Discharge Into Drains Or Watercourses

14 - Transport Information

| | | | |
|----------------------|--|--------------|-------------------|
| UN/SI Number: | | Packing Grp: | Marine Pollutant: |
| IMO: | | Packing Grp: | |
| IATA/ICAO: | | Item: | |
| ADR/RID: | | | |
| Transport Name: | | | |
| Hazchem/Kemler Code: | | | |

15 - Regulatory Information

a) Hazard Symbols:

b) Risk & Safety:

Not Classified As Hazardous Under The Chip Regulations 1998
S23 Do Not Breathe Vapour
S24 Avoid Contact With Skin

c) Other Regulations:

d) Transport Information:

| | | | |
|----------------------|--|--------------|-------------------|
| UN/SI Number: | | Packing Grp: | Marine Pollutant: |
| IMO: | | Packing Grp: | |
| IATA/ICAO: | | Item: | |
| ADR/RID: | | | |
| Transport Name: | | | |
| Hazchem/Kemler Code: | | | |

16 - Other Information

Not Applicable